

SEISMIC VELOCITY, STRATIGRAPHY AND ACOUSTIC STUDY OF THE SOUTH CHINA SEA

Peter D. Clift

Department of Geology and Geophysics, Woods Hole Oceanographic Institution
Woods Hole, MA 02543, USA

phone: (508) 289-3437 fax: (508) 457 2187 email: pclift@whoi.edu

Jian Lin

Department of Geology and Geophysics, Woods Hole Oceanographic Institution
Woods Hole, MA 02543, USA

phone: (508) 289-2576 fax: (508) 457 2187 email: jlin@whoi.edu

Award #: N00014-97-1-0902

LONG-TERM GOALS

To document the crustal structure of the South China Sea margin from the coast to the deep basin with a view to better understanding the processes of continental break-up, particularly the transition from rifting to spreading. To understand the nature of sediment transport on continental shelves and to construct a sediment budget for this basin in order to compare with models of Himalayan uplift and erosion and their links to climate change.

SCIENTIFIC OBJECTIVES

We aim to construct seismic velocity depth profiles across the South China margin from close to the coast to the deep basin in order to characterize the topography of the pre-rift basement and the geometry of the sediment layers that have accumulated on the shelf since the late Oligocene.

APPROACH

We are constructing velocity-depth distribution database of the South China shelf using stacking velocities derived from multichannel seismic lines collected by BP and the Chinese National Oil Company (CNOOC). These data will be cross-referenced with existing sonobuoy data and geophysical well logs to construct a velocity-depth map. We are establishing a database of velocities that will allow variability in velocity with depth across the shelf to be mapped out. Crossing checking of major velocity jumps with the reflection images will allow us to identify whether these discontinuities are related to normal faulting, volcanic constructs, hydrocarbon accumulation, or other features.

WORK COMPLETED

Work to date has established an electronic database system into which data from five seismic lines, located close to the Pearl River Mouth and running offshore into deep water, have already been entered. A system for digitizing the location of data points has been put in place, allowing new data to be rapidly filed and amalgamated with existing surveys. Data has been shared with scientists at Lamont-Doherty Earth Observatory in order to compare with existing LDEO sonobuoy data (Hayes et al., 1995; Nissen et al., 1995), making the two sets consistent. Arrangements have been made with BP International Exploration for further data retrieval. Biostratigraphic, lithologic and thickness data from 13 sites on the South China shelf were examined and the rates of tectonic subsidence of the pre-rift basement and accumulation rates have been calculated, taking into account the process of sediment compaction and dewatering.

RESULTS

Velocity-depth profiles have been made along a number of profiles both across and along the strike of South China Sea margin with an across-margin example shown in Figure 1. It is apparent that the resolution of the data allow good definition of sediment packages in the upper 2–3 km, with a general thickening of the upper units offshore (Fig. 1). Resolution below 3 km is less good and only large-scale patterns are discernible. The

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Seismic Velocity, Stratigraphy and Acoustic Study of the South China Sea				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution, Department of Geology and Geophysics, Woods Hole, MA, 02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

sediment acoustic reflectors in the upper part of the section are generally flat lying but are locally broken by two large scale discontinuities. Reflection seismic images show that the feature closest to the coast is a tilted fault block, while that on the continental slope is similar to volcanic edifices noted elsewhere, an unexpected feature in this area, previously considered non-volcanic. Subsidence analysis of the well data shows three stages of active extension followed by more gentle subsidence due to thermal cooling of the lithosphere and sediment loading (Fig. 2). Sediment supply has typically been sufficiently voluminous that rift episodes are matched by peaks in sediment accumulation.

IMPACT/APPLICATION

Initial results suggest that the simple layer-cake structure of the South China Shelf is disrupted by faulting on the shelf and by volcanic features on the continental slope. These features clearly affect the regional acoustic environment. The initial results guide us to investigate further evidence for intrusive bodies of volcanic characters close to the continent-ocean transition and to determine the lateral extent of large, coast-parallel faults in the South China Shelf.

RELATED PROJECTS

Below we list work related to this South China seismic project.

- 1 - Stratigraphic evolution of the Northwest European Shelf during the Cenozoic (Clift, funded by Enterprise, Mobil and Statoil).
- 2 - Erosional history of the western Himalayas, Ocean Drilling Program proposal submitted by Clift et al. to drill Indus Cone, Arabian Sea.
- 3 - Numerical modeling of the thermo-magmatic evolution of the US Atlantic margin (Lin, funded by WHOI).

REFERENCES

- Hayes, D.E., Nissen, S.S., Buhl, P., Diebold, J., Bochu, Y., Weijun, Z., and Yongqin, C., 1995. Through going crustal faults along the northern margin of the South China Sea and their role in crustal extension. *Journal of Geophysical Research*, 100, 22,435-22,446.
- Nissen, S.S., Hayes, D.E., Buhl, P., Diebold, J., Bochu, Y., Weijun, Z., and Yongqin, C., 1995. Deep penetration seismic soundings across the northern margin of the South China sea. *Journal of Geophysical Research*, 100, 22,407-22,433.




Figure 2. Free de and on land type plot from Line T923-1574 showing seismic changes in 0.5 km/s intervals.

